




# NTN DRIVESHAFT ANDERSON, INC.

## KOYO HK1010 needle roller bearings



HK1010 Bearing 2D drawings and 3D CAD models

Bearing No. HK1010

Size	10x14x10 mm
Bore Diameter	10 mm
Outer Diameter	14 mm
Width	10 mm
Fw	10 mm
D	14 mm
C	10 mm
r5 min.	0.40 mm
Weight	0.004 Kg
Basic dynamic load rating (C)	4.78 kN
Basic static load rating (C0)	5.51 kN
(Grease) Lubrication Speed	19000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.114
EAN	0605790216558
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



## NTN DRIVESHAFT ANDERSON, INC.

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	10MM Bore; 14MM Outside Diameter; 10MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	HK1010
Weight / LBS	0.009
Outside Diameter	0.551 Inch   14 Millimeter
Width	0.394 Inch   10 Millimeter
Bore	0.394 Inch   10 Millimeter
Bearing No.	HK1010
C3(min)	\
rs(min)	0.40
Cr	4.78
C0r	5.51
Cu	0.840



## NTN DRIVESHAFT ANDERSON, INC.

Grease lub.	19000
Oil lub.	29000
(Refer.) Mass(kg)	0.004
Mounting inner ring	JR7x10x10,5